

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	23	(delet\$3 or eras\$3 or remov\$3 or wip\$3 or obscur\$3 or mask\$3 or disguis\$3 or delet\$3) with (memory or stor\$3 or database or resource) same ((sensitive or confident\$3 or secret or secure or person\$4) near7 (informat\$3 or data or account or file or document))same (password or passcode or pin or secret or key) near8(uncorrect or false or wrong or inaccurate or duress or panic or fake or dummy or bogus or mock\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 07:58
L2	17	(delet\$3 or eras\$3 or remov\$3 or wip\$3 or obscur\$3 or mask\$3 or disguis\$3 or delet\$3 or eplac\$3) same ((sensitive or confident\$3 or secret or secure or person\$4) near7 (informat\$3 or data or account or file or document)) same (password or passcode or pin or secret or key) near8 (uncorrect or false or wrong or inaccurate or duress or panic or fake or dummy or bogus or mock\$3) not 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 08:07
L3	2	"5731575".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 08:54
L4	544	(delet\$3 or eras\$3 or remov\$3 or wip\$3 or obscur\$3 or mask\$3 or disguis\$3 or delet\$3) with (memory or stor\$3 or database or resource) same ((sensitive or confident\$3 or secret or secure or person\$4) near7 (informat\$3 or data or account or file or document) or resource) same (user or entit\$3) with (rule or privilege or right)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 09:30

L5	4962	726/27 or 726/28 or 726/29 or 726/30 or 713/182 or 713/183 or 713/184 or 713/185 or 713/185 or 713/186	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 09:31
L6	14	4 and L5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 09:31
L7	0	(repla\$3 or modif\$4 or alter \$3 or chang\$3) with (sensive or confident\$4 or secret or secure or personal informat\$3) with (non or un) near3 (sensive or confident \$4 or secret or secure or personal informat\$3) with (role or privileg\$3) near7 user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 09:37
L8	6	(repla\$3 or modif\$4 or alter \$3 or chang\$3) same (sensive or confident\$4 or secret or secure or personal informat\$3) same (non or un) near3 (sensive or confident \$4 or secret or secure or personal informat\$3) same (role or privileg\$3) near7 user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 09:38
L9	1182	(repla\$3 or modif\$4 or alter \$3 or chang\$3) same (resource or sensitive or confident\$4 or secret or secure or personal informat \$3) same (role or privileg\$3) near7 user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 09:40
L10	239	(repla\$3 or modif\$4 or alter \$3 or chang\$3) with (resource or sensitive or confident\$4 or secret or secure or personal informat \$3) with (role or privileg\$3) near7 user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 09:41
L11	9	5 and 10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 09:41

L12	0	access\$3 with (senditive or confident\$3) near8 (data or resource or file or information) with suer near7 (rule or identit\$4 or iD) with (alter\$3 or modif\$4 or change\$3 or alter\$3 or replac\$3 or delet\$3 or eras\$3) with (senditive or confident\$3) near8 (data or resource or file or information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 10:03
L13	4	"6701376".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 10:19
S1	64	(authentikat\$3 near7 (user or entit\$3 or device ) near8 (password or pin or identificat\$3 or ID or passcode or passphrase or code) and (biometric) with (generat\$3 or produc\$3 or provid\$3 or creat\$3) near8 (encrypt\$3 near7 key))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/24 10:43
S2	26	(US-6073234-\$.D.ID. OR US-6075860-\$.D.ID. OR US-5432851-\$.D.ID. OR US-7131184-\$.D.ID. OR US-6035406-\$.D.ID. OR US-5280527-\$.D.ID. OR US-5524072-\$.D.ID. OR US-5719560-\$.D.ID. OR US-5764789-\$.D.ID. OR US-6038666-\$.D.ID. OR US-7131186-\$.D.ID. OR US-6189103-\$.D.ID. OR US-5949882-\$.D.ID. OR US-7131185-\$.D.ID.) and (bimetric or authentikat\$3 or encrypt\$3 or encod\$3 or encipher\$3 or device or user or ID or password or passphrase or key or pin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/24 11:29
S3	217	(BAIRD near LEBMON or HARMON near MANCE or YOUNG near REED or ARMSTRONG near JAMES). in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/24 11:54

S4	5	S3 and (user or device or entit\$3) and authenticat\$3 and (encrypt\$3 or encipher\$3 or cipher\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/24 11:56
S5	25	("5280527"   "5524072"   "5719560"   "5764789"   "6035406"   "6038666"   "6189103").PN. OR ("6732278").URPN	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/24 13:13
S6	2934	726/9 or 726/20 or 713/186 or 713/185	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/24 13:39
S7	136	(two or multi or multipl\$3) near3 factor with authenticat\$3 with (biometric) and (password or passcode or passphrase or pin or id or identifi\$3 or code or key)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/24 13:47
S8	0	S7 and (@pd<"19970113" or @ad<"19970113" or @prad<"19970113" or @rlad<"19970113")	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/24 14:16
S9	24	S6 and S7	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/24 14:23
S10	26	(US-6073234-\$.D.ID. OR US-6075860-\$.D.ID. OR US-5432851-\$.D.ID. OR US-7131184-\$.D.ID. OR US-6035406-\$.D.ID. OR US-5280527-\$.D.ID. OR US-5524072-\$.D.ID. OR US-5719560-\$.D.ID. OR US-5764789-\$.D.ID. OR US-6038666-\$.D.ID. OR US-7131186-\$.D.ID. OR US-6189103-\$.D.ID. OR US-5949882-\$.D.ID. OR US-7131185-\$.D.ID. or "5949882".pn. ) and (bimetric or authenticat\$3 or encrypt\$3 or encod\$3 or encipher\$3 or device or user or ID or password or passphrase or key or pin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/24 14:27
S11	6	(S6 or S10) and (@pd<"19970113" or @ad<"19970113" or @prad<"19970113" or @rlad<"19970113")	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/24 14:31
S12	1	"6086369".pn.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/24 15:41

S13	20	"4110908"   "4283175"   "4330282"   "4406284"   "4505676"   "4820152"   "4840566"   "4961698"   "5125837"   "5419703"   "5431565"   "5531597"   "5655906"   "Fe30536").PN. OR ("6086369").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/24 15:41
S14	151	(user or entit\$3 or device ) near8 (password or pin or identificat\$3 or ID or passcode or passphrase or code) and (biometric) with (generat\$3 or produc\$3 or provid\$3 or creat\$3) near8 (encrypt\$3 near7 key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/24 17:51
S15	3	S14 and (@pd<"19970113" or @ad<"19970113" or @prad<"19970113" or @rlad<"19970113")	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/24 17:52
S16	175	(password or pin or identificat \$3 or ID or passcode or passphrase or code) and (biometric) with (generat\$3 or produc\$3 or provid\$3 or creat\$3) near8 (encrypt\$3 near7 key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/24 17:59
S17	4	S16 and (@pd<"19970113" or @ad<"19970113" or @prad<"19970113" or @rlad<"19970113")	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/24 18:00
S18	2406	(generat\$3 or produc\$3 or provid\$3 or creat\$3) with (password or pin or identificat \$3 or ID or passcode or passphrase or code) and (biometric) with (random and (predetermin\$3 or predefin \$3) near3 (time or period) or time near4 stamp or time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/24 18:08
S19	11	S18 and (@pd<"19970113" or @ad<"19970113" or @prad<"19970113" or @rlad<"19970113")and S6	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/24 18:09
S20	213	(generat\$3 or produc\$3 or provid\$3 or creat\$3) with password with device with random	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/24 18:14
S21	15	S20 and (@pd<"19970113" or @ad<"19970113" or @prad<"19970113" or @rlad<"19970113")	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/24 18:15

S22	11	(delet\$3 or modif\$4 or alter\$3 or mov\$3 or replac\$3) with (sensitive or confidential or secure) with (invalid\$3 or unauthoriz\$3 or false or unknown\$3) near3 (password or key or passphrase or pin)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/24 18:32
S23	174	(delet\$3 or modif\$4 or alter\$3 or mov\$3 or replac\$3) with (sensitive or confidential or secure) with (invalid\$3 or unauthoriz\$3 or authenticat\$ or unknown\$3) near3 (user or entit\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/24 18:36
S24	0	S23 and (@pd<"19970113" or @ad<"19970113" or @prad<"19970113" or @riad<"19970113")and S6	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/24 18:38
S25	15	S23 and (@pd<"19970113" or @ad<"19970113" or @prad<"19970113" or @riad<"19970113")	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/24 18:38
S26	2	(delet\$3 or modif\$4 or alter\$3 or mov\$3 or replac\$3) near8 (sensit\$3 or confidential or secure) near8 (invalid\$3 or unauthoriz\$3 or false or unknown\$3) near3 (uer or entit\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/25 09:20
S27	2	(delet\$3 or modif\$4 or alter\$3 or mov\$3 or replac\$3) with (sensit\$3 or confidential or secure) with (invalid\$3 or unauthoriz\$3 or false or unknown\$3) near5 (uer or entit\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/25 09:23
S28	37	(delet\$3 or modif\$4 or alter\$3 or mov\$3 or replac\$3) same (sensit\$3 or confidential or secure) same (invalid\$3 or unauthoriz\$3 or false or unknown\$3) near5 (uer or entit\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/25 09:24
S29	42	(delet\$3 or modif\$4 or alter\$3 or mov\$3 or replac\$3) same (sensit\$3 or confidential or secure) near8 (data or file or informat\$3) same (privil\$ near4 level)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/25 09:36
S30	12	S29 and (@pd<"19970113" or @ad<"19970113" or @prad<"19970113" or @riad<"19970113")	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/25 09:37

S31	8	(delet\$3 or eras\$3 or remov\$3 or wip\$3 or obscur\$3 or mask\$3 or disguis\$3 or delet\$3) with (memory or stor\$3 or database or resource) same ((sensitive or confident\$3 or secret or secure or person\$4) near7 (informat\$3 or data or account or file or document)) same ((fals\$ or dummy or fak\$3 or duress) near8 (password or pin or code or key or passcode))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 15:43
S32	10	(delet\$3 or eras\$3 or remov\$3 or wip\$3 or obscur\$3 or mask\$3 or disguis\$3 or delet\$3) with (memory or stor\$3 or database or resource) same ((sensitive or confident\$3 or secret or secure or person\$4) near7 (informat\$3 or data or account or file or document) or resource) same ((fals\$ or dummy or fak\$3 or duress) near8 (password or pin or code or key or passcode))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 16:04
S33	5	(delet\$3 or eras\$3 or remov\$3 or wip\$3 or obscur\$3 or mask\$3 or disguis\$3 or delet\$3) same ((sensitive or confident\$3 or secret or secure or person\$4) near7 (informat\$3 or data or account or file or document) or resource) same ((fals\$ or dummy or fak\$3 or duress) near8 (password or pin or code or key or passcode)) same access\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 16:13
S34	22	(delet\$3 or eras\$3 or remov\$3 or wip\$3 or obscur\$3 or mask\$3 or disguis\$3 or delet\$3) same ((sensitive or confident\$3 or secret or secure or person\$4) near7 (informat\$3 or data or account or file or document) or resource) same ((fals\$ or dummy or fak\$3 or duress) near8 (password or pin or code or key or passcode))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 16:13

S35	0	((authenticat\$3 or validat\$3) same (user or entit\$3) same (((false or dummy or fak\$3 or duress) near8 (password or pin or code or key or passcode)) same access43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 16:18
S36	88	((authenticat\$3 or validat\$3) same (user or entit\$3) same (((false or dummy or fak\$3 or duress) near8 (password or pin or code or key or passcode)) and access\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 16:18
S37	55	access\$3 same (resource or data or information or secure or confidential ) same (password or pin or passcode) with (integrit\$3 or duress or false or dummy ) with authenticat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 16:25
S38	12880	access\$3 same (resource or data or information or secure or confidential ) same (password or pin or passcode) with (verificat\$3 or authenticat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 16:55
S39	4962	726/27 or 726/28 or 726/29 or 726/30 or 713/182 or 713/183 or 713/184 or 713/185 or 713/185 or 713/186	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 16:57
S40	822	S38 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 16:57
S41	14635	((delet\$3 or eras\$3 or remov\$3 or wip\$3 or obscur\$3 or mask\$3 or disguis\$3 or delet\$3) same (memory or stor\$3 or database or resource) same ((sensitive or confident\$3 or secret or secure or person\$4) near7 (informat\$3 or data or account or file or document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 16:58
S42	85	S40 and S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 16:59



S43	2577	(delet\$3 or eras\$3 or remov\$3 or wip\$3 or obscur\$3 or mask\$3 or disguis\$3 or delet\$3) same ((sensitive or confident\$3 or secret or secure or person\$4) near7 (informat\$3 or data or account or file or document) or resource) same (password or pin or code or key or passcode) same (verificat\$3 or validat\$3 or authenticat\$3 or authoriz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 17:15
S44	176	S39 and S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 17:15
S45	34	authenticat\$3 same under with duress	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 17:58
S46	0	access\$3 with (secure or confident\$3 or sensitive) with ( informat\$3 or document or resource)data with ((first or global or master or secure or true) near3(password or passcode or pin) or password or pin or code or passcode) and (eras\$3 or delete or modif\$4 or change\$3 or alter\$3 or mask\$3) with ( information or document or resource or data) with (duress or false or fake or panic or second ) near4 (passcode or code or pin or password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 18:12
S47	0	access\$3 same (secure or confident\$3 or sensitive) same( informat\$3 or document or resource)data with ((first or global or master or secure or true) near7(password or passcode or pin) or password or pin or code or passcode) and (eras\$3 or delete or modif\$4 or change\$3 or alter\$3 or mask\$3) same ( information or document or resource or data) same (duress or false	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 18:13

		or fake or panic or second ) near4 (passcode or code or pin or password)				
S48	84	access\$3 same (secure or confident\$3 or sensitive) same( informat\$3 or document or resource)data with ((first or global or master or secure or true) near7(password or passcode or pin) or password or pin or code or passcode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 18:14
S49	6443	(eras\$3 or delete or modif\$4 or change\$3 or alter\$3 or mask\$3) same ( information or document or resource or data) same (duress or false or fake or panic or second ) near4 (passcode or code or pin or password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 18:14
S50	0	S48 same S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 18:15
S51	0	S48 and S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 18:15
S52	78	S49 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 18:15
S53	46	((delet\$3 or eras\$3 or remov \$3 or wip\$3 or obscur\$3 or mask\$3 or disguis\$3 or delet \$3) with (memory or stor\$3 or database or resource) same ((ensitive or confident \$3 or secret or secure or person\$4) near7 (informat\$3 or data or account or file or document))same (authenticat \$3 or valid\$5 or authoriz\$3) near6(un or no)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 19:02

12/ 22/ 2008 11:16:41 AM

C:\Documents and Settings\fraore\My Documents\ EAST\ Workspaces\ 10802073.wsp